



PRODUCT SET-UP SHEET

LAUNCH DATE	
BRAND	Optoma
DESCRIPTION	Optoma DX330 XGA DLP® Projector
SUPPLIER EAN NUMBER	5060059047369
PART NUMBER	E1P1F0D11001
REGULATORY NUMBER	DAEXNZGU
MODEL NO.	DX330
MRSP	
WARRANTY	



PROJECTOR SPECIFICATION

Specification		
ATTRIBUTE	FACT	UNIT OF MEASUREMENT
Display Technology - DLP	DLP®	
Resolution	XGA (1024 x 768)	Pixel
Brightness	2800	ANSI Lumens (Bright mode)
Brightness	Variable	Dynamic mode (100%~30%) Eco+ mode (80%~30%)
Contrast Ratio	13,000:1	
Lamp Life	6500/6000/4500	Hours (Eco+/Dynamic/Bright mode)
Lamp Life - Education Cycle	10,000	Hours ²
Projection Distance	1.2 – 12m	Metre
Projected Image Size	0.69 - 7.62m (27.24" - 300.04") Diagonal 4:3	Metre / inch (Diagonal)
Throw Ratio	1.97 - 2.17:1	
Lens - Fixed/Zoom	1.1x Manual	
Built in Speaker	2	Watt
Weight	2.21	kg
Noise Level	26	dB (min)
Keystone Correction	±40° Vertical	Degrees
Power Consumption	234W BRIGHT mode < 0.5W Standby mode 210W Dynamic mode < 0.5W Standby mode	Watt
Power Supply	100 - 240V, 50 - 60Hz	Volts
Inputs		
HDMI	Yes	v1.4a 3D Support (HDCP)
VGA	2	15 Pin D-Sub
Component	Yes	via adaptor
S-Video	Yes	4 Pin Mini Din
Composite Video	Yes	RCA
Audio In	Yes	3.5mm Mini Jack
Control		
RS232	Yes	9 Pin D-Sub
USB-Mouse	Yes	USB Type B
Output		
VGA	Yes	15 Pin D-Sub
Audio Out	Yes	3.5mm Audio Mini Jack
Dimensions		
Width	316	mm
Depth	224	mm
Height	124	mm
Weight	2.21	kg
Boxed Dimensions		
Width	383	mm
Depth	161	mm
Height	312	mm
Weight	3.024	kg

Features

Ideal for use in a meeting room or classroom, the DX330 has a bright 2800L and 13,000:1 contrast allowing you to project bright, crystal clear images with superb colours using DLP® and BrilliantColor™ technologies. Incredible lamp life of up to 10,000 hours² combined with Eco+ technology provides energy and money saving features. Installed or on the move with the included carry bag, the versatile DX330 incorporates HDMI, built in speaker, Full 3D technology and optional wireless capabilities that are easy to use.

BRIGHTNESS WHERE IT MATTERS

You can project even if there is ambient light in the room. The XGA resolution DX330 delivers an impressive 2800L ensuring that even during the day everyone can clearly see the projected image.

DIGITAL CONNECTIVITY

Simple connectivity to your projector via HDMI; one cable gives you a clear projected image and audio.

COST SAVING – LONG LAMP LIFE

Reduce the number of lamp changes with lamp life of up to 10,000 hours². The lamp is conveniently located so that it can be changed without removing the projector from a ceiling mount – saving you time and money.

²Actual lamp life may vary due to different environment conditions and usage. The 10,000 hours is based on the Education Cycle. For more information please visit our website.

CLEAR, FOCUSED PROJECTION

Produce a stunning 13,000:1 contrast ratio for pin sharp graphics and crystal clear text using the unique Dynamic mode feature.

Combined with DarkChip3 technology for Texas Instruments, Dynamic mode automatically adjusts the lamp output, based on the brightness information of each frame; to create a stunning high contrast ratio. Bright scenes are crisp and clear, while dark scenes remain detailed with deep blacks which gives exceptional light and shade detail.

FUTURE PROOF TECHNOLOGY

Using the inherent speed of DLP technology, The Optoma DX330. Full 3D projector can display true 3D content from any 3D display device, such as 3D Blu-ray, PS3, Xbox and Sky3D.

RAPID OFF

It takes less than 10 seconds for the projector to power up and shutdown, saving both time and energy.

QUICK RESUME

Save time by not waiting for the projector to cool down before it can power up again. If the projector is accidentally turned off, this feature allows the projector to be instantly powered on again, if selected within a period of 100 seconds.

AUDIO PERFORMANCE

Convenient audio from the built-in 2W speaker, or connect to an external audio system with the dedicated audio output.

PRESENTATION PARTNER

Run your presentation from the projector remote control. Use the page up/down button to change slides or the mouse control to take control of the mouse functions remotely.

(USB cable must be connected from the computer to the projector)

ACCESSORIES INCLUDED

Power Lead	Quick Start Guide
VGA Cable	User Manual (CD)
Remote inc. Batteries	Warranty Card
Carry Bag	WEEE Card

OPTIONAL ACCESSORIES

Universal Ceiling Mount	WPS-III wireless adapter
Optoma Screen	

Key Features

- 2800 ANSI Lumens
- Native XGA resolution
- 13,000:1 Contrast Ratio – Sharp, crystal clear images
- Eco+ technology - energy saving, low maintenance
- Low ownership costs – up to 10,000 hours lamp life²
- Full 3D support
- BrilliantColor™ technology - bright, vibrant projected images
- Full Connectivity, HDMI, 2 x VGA, S-Video, Composite & RS232
- Fully functional remote with mouse control and direct source selection
- Top cover lamp removal
- Lightweight and Portable, Carry bag included
- Security bar, Kensington Lock & Password Security – extra security for your projector

PRODUCT IMAGES



Additional Information

TEST REPORTS

CE Report	Report No. CE120530D02B R1
CB Report	Certif No. NO70916/A1
FCC Report	Report No. FD120530D02B R1

PRODUCT RECYCLE

Product	TBC
---------	-----

PACKAGING / WASTE

Material	Weight
Plastic	TBC
Cardboard	TBC
Other	TBC

PALLET DIMENSIONS

	Air	Sea	
QTY PER LAYER	18	18	
NUMBER OF LAYERS	4	6	
TOTAL UNITS per PALLET	72	108	
COMMODITY CODE			
UK WEEE PRODUCER REG. NUMBER	WEE/HA0196VQ		